

CVM-E3-MINI

Checks every parameter
of your electrical installation



CVM-E3-MINI




Power analyser designed for energy efficiency






New needs in the sector

› CVM-E3-MINI enables the control of electrical and energy variables in any type of installation, complying with the latest international regulations for the measurement and management of energy efficiency.





kWh
V PF
kVA cosφ
A kvar



› Measures and calculates any parameter in your electrical network, for both consumption and generation.


Power
Studio
compatible




› Remotely fixes any configuration error through PowerStudio.




› Separates the consumption of two sources of energy.



› New system with plug-in and sealable Plug&ON terminals.



› Integrated Modbus RTU or BACnet communications.



› Measurement of energy cost (any currency) and CO₂ emissions.



› Output for generation of energy consumption impulses or alarm for any instantaneous parameter.



› Digital input to detect status changes.



› The various measurement options include the possibility of measuring the financial cost of energy, operating time, CO₂ emissions and harmonics up to the 31st harmonic.




High contrast display


From a distance of 3 m.

› Can be panel-mounted using a 72x72 mm accessory.

› Sealable. Prevents any tampering.



72x72 mm



Examples of applications

Photovoltaic plants



Tertiary sector



Buildings



Panel builders



Industry



Production plants





www.circutor.com - central@circutor.com

