



WMC144 400V .../5A

WMC144 400V .../5A, Vatímetre monofàsic, panell 96x96

Code: M13041.

- > Escala: 90° P1
- > Sistema: Monofàsics
- > Precisió: 1,5
- > Mesura: 400 Vf-f, .../5 A
- > Equip: WMC144
- > Mòdul: 96x96

Descripció

- No necessiten alimentació auxiliar.
- Caixes DIN de dimensions 96 i 144.
- Classe de precisió 1,5
- Convertidor electrònic incorporat< /li>
- Circuits monofàsics i trifàsics, equilibrats i desequilibrats.

Aplicació

Per a la mesura de potència activa en circuits monofàsics i trifàsics equilibrats o desequilibrats



WMC144 400V .../5A

Wattímetres

Code: M13041.

Especificacions

Característiques mecàniques

| | |
|--|-----------------------|
| Mida (mm) amplada x alçada x profunditat | 144 x 144 x 71.8 (mm) |
| Fixació | Panell |

Pes net (kg)

| | |
|--|------|
| | 0,49 |
|--|------|

WMC / WTC

Wattímetres

| CODI | TIPUS | Escala | Precisió | Mòduls | Equip | Mesura |
|----------------------------------|---------------------|--------|----------|--------|---------|-------------------|
| Single-phase | | | | | | |
| M13031. | WMC96 400V .../5A | 90° P1 | 1,5 | 96x96 | WMC96 | 400 Vf-f, .../5 A |
| M13041. | WMC144 400V .../5A | 90° P1 | 1,5 | 96x96 | WMC144 | 400 Vf-f, .../5 A |
| Balanced three-phase | | | | | | |
| M13032. | WTC96E 400V .../5A | 90° P1 | 1,5 | 96x96 | WTC96 | 400 Vf-f, .../5 A |
| Three-phase 3 wire (ARON) | | | | | | |
| M13034. | WTC96A 110V .../5A | 90° P1 | 1,5 | 96x96 | WTC96A | 110 Vf-f, .../5A |
| Three-phase 4 wire | | | | | | |
| M13033. | WTC96AN 400V .../5A | 90° P1 | 1,5 | 96x96 | WTC96AN | 400 Vf-f, .../5 A |

Exchangeable scales for types WMC 96, WTC 96E and WTC 96AN. Scale not included (*) Specify primary voltage and current of the measuring transformers, and power at full scale




WMC144 400V .../5A

Vatímetres

Code: M13041.

Dimensions



Conexions

