





TCPRS1+PSDC, RS-485 / Ethernet converter / Wi-Fi

Code: D80011.

> Protocol: TCP |UDP|Modbus TCP|HTTP (Web server)-REST

> Communications: Ethernet, Wi-Fi

Description

The TCPRS1+ is a gateway designed to convert a physical environment (RS-485) to Ethernet and/or Wi-Fi. The device features a Web Server and the "MyConfig Wifi" app (Android), from which the user can fully edit the configuration parameters of the device.

Other features:

- o The device is for installation inside a medium or low voltage electric panel or enclosure, with DIN rail mounting (IEC 60715).
- $\circ~$ The TCPRS1+ comes with DHCP enabled by default.
- o Connect up to 32 devices on the RS-485 communications bus.

Application

For any installation that has multiple RS-485 communications devices that require monitoring via Wi-Fi or Ethernet.







RS-485 to Ethernet converter / Wi-Fi

Code: D80011.

Specifications

| DC power supply | |
|--|---|
| Installation category | CAT III 50V |
| Consumption | 2 2,5 W |
| Nominal voltage | 10 36 Vdc |
| Mechanical characteristics | |
| Size (mm) width x height x depth | 35 x 109.45 x 70 (mm) |
| Envelope | Self-extinguishing V0 plastic |
| Fastening | DIN rail |
| Weight (kg) | 0,192 |
| Environmental characteristics | |
| Protection class | IP30, Front: IP40 IK08 |
| Relative humidity (without condensation) | 5 95% |
| Storage temperature | -20 +70 °C |
| Working temperature | -20 +60 °C |
| Communication Network | |
| Protocol | TCP UDP Modbus TCP HTTP (Web server)-REST |
| Technology / Type | Ethernet |
| Standards | |
| Electrical safety, Maximum height (m) | 2000 |
| Standards | EN 62368-1:2020/A11:2020/AC:2020-05, ETSI EN 301 489-1 V2.2.3, ETSI EN 301 489-1 V2.2.3, ETSI EN 301 489-17 V3.2.6, ETSI EN 300 328 V2.2.2, UNE-EN IEC 62311, UNE-EN 60068-2-78, UNE-EN 60068-2-1, UNE-EN 60068-2-2, UNE-EN 61010-1, UNE-EN 61000-4-2, UNE-EN 61000-4-4, UNE-EN 61000-4-5, UNE-EN 61000-4-6, UNE-EN 61000-4-8, UNE-EN 61000-4-20, UNE-EN 55016-2-1. |
| User interface | |
| LED | 6 LED |
| Serial communication | |
| Technology / Type | RS-485 |
| Wireless communication | |
| Technology / Type | Wi-Fi |
| | |

TCPRS1+









RS-485 to Ethernet converter / Wi-Fi

Code: D80011.

RS-485 / Ethernet / Wi-Fi converter

| CODE | TYPE | Communications | Protocol | |
|----------|-------------|-------------------------|--|--|
| Ethernet | | | | |
| D80010. | TCPRS1+ | RS-485, Ethernet, Wi-Fi | TCP/IP UDP Modbus TCP/IP HTTP (Web server) | |
| D80011. | TCPRS1+PSDC | RS-485, Ethernet, Wi-Fi | TCP UDP Modbus TCP HTTP (Web server)-REST | |









RS-485 to Ethernet converter / Wi-Fi

Code: D80011.

Dimensions

Connections





