



## M/TR-25 Acc X 4

---

M/TR-25 Acc X 4, Measuring module for 4 current circuits. Maximum current: 25 Adc,

Code: E80011.

### Description

---

It is extremely difficult to certify that a photovoltaic plant is at its peak performance without having control over the primary power generation sources that would certify it. **TR8** has been designed specifically to control strings in photovoltaic plants; it checks the level of current generated in the various groups in real time and, therefore, checks the current flowing through the voltage and current sensors connected to the unit.

### Application

---

Solar photovoltaic string measurement application, used to measure up to sixteen direct-current generation strings and a reference voltage of up to 1,500 V.



## M/TR-25 Acc X 4

Multi-channel DC voltage and current analyzer for photovoltaic strings

Code: E80011.

### Specifications

#### Mechanical characteristics

Weight (kg)	0,159
-------------	-------

#### M-TR

Measuring module for TR devices

CODE	TYPE	Description
<b>Measuring module</b>		
E80010.	M/TR-25 Acc X 2	Measuring module for 2 current circuits. Maximum current
E80011.	M/TR-25 Acc X 4	Measuring module for 4 current circuits. Maximum current
E80012.	M/TR-100 Acc	100 A transformer for STM-H and TR (deep panel installation)



## M/TR-25 Acc X 4

Multi-channel DC voltage and current analyzer for photovoltaic strings

Code: E80011.

### Dimensions

