



STM-CP-LoRa-F915

STM-CP-LoRa-F915, LoRa control module with positive current measurement, 915 MHz frequency,

Code: E82CP20020000 DESCATALOGADO

Description

STM is smart analyser that supports up to 32 channels. Designed specifically to supervise photovoltaic strings, the STM allows for the maximum performance of the photovoltaic array thanks to its high measuring accuracy.

The solution consists of different modules:

STM-C: Smart module that is able to calculate powers, compare string performances, detect reverse currents, etc. It also features:

- One 1,500 VDC input
- o Four voltage-free digital inputs
- One analogue input 0/4...20 mA
- One input for Pt100 or Pt1000
- o A LoRa wireless communications module

STM-S: Current measurement module with 4 measurement channels of up to 42 A each. Up to 8 STM-S modules can be connected to obtain 32 channels.

Its modularity, flexibility of installation, smart characteristics and robustness make the **STM** the perfect piece of equipment to supervise the correct operation of the photovoltaic array.

Application

Supervision of photovoltaic strings in solar farms and self-consumption installations







STM-CP-LoRa-F915

Analyser for photovoltaic strings

Code: E82CP20020000

Specifications

DC power supply	
Consumption	100 mA
Nominal voltage	24 Vdc ± 10 %
Environmental characteristics	
Relative humidity (without condensation)	5 95 %
Working temperature	-20+70°C (continuous) -20+80°C (peak)
Mechanical characteristics	
Fastening	DIN rail
Weight (kg)	0,21
Voltage measurement circuit	
Nominal voltage	1500 Vdc
Input	
Accuracy	±3°C
Range	-25 100°C
Resolution	±0,1 mA
Туре	Pt100/1000
Standards	
Electrical safety, Installation category	Category II Double-insulated electric shock protection class II
Analogue inputs	
Nominal range	0/420 mA
Accuracy	±0,1 mA
Digital inputs	
Quantity	4
Туре	Optoisolated voltage-free
Maximum short-circuit current	6 mA

The minimum configuration of the STM solution is made up of an STM-C module and an STM-S module







STM-CP-LoRa-F915

Analyser for photovoltaic strings

Code: E82CP20020000

Dimensions

Connections







