



## EC72 400V

---

EC72 400V, Voltmeter

Code: M10427.

- > Scale: 90°, P1
- > Accuracy: 1,5
- > Measurement Range (V): 400
- > Modules: 72x72

### Description

---

- No need for auxiliary power supply, only the CEC 96 type
- DIN boxes with dimensions: 48, 72, 96 and 144
- Measurement in true root mean square or V ... 600 V ac
- Exchangeable scales for EC48, EC72, EC96, EM 45
- The alarm system can be fully configured for CEC 96

&nb

### Application

---

In alternating current applications, to control the state of the voltage quickly and visually.



## EC72 400V

Moving Iron Voltmeters

Code: M10427.

### Specifications

#### Mechanical characteristics

|                                  |                     |
|----------------------------------|---------------------|
| Size (mm) width x height x depth | 72 x 72 x 49.2 (mm) |
| Fastening                        | Panel               |
| Weight (kg)                      | 0,136               |

#### Environmental characteristics

|                     |   |
|---------------------|---|
| Protection class    | Panel: IP 52 (Front), IP 20 (Terminals) |
| Storage temperature | -25...+40 °C                            |
| Working temperature | +10 ... +30 °C                          |

#### Standards

|                                       |  |
|---------------------------------------|--|
| Certifications                        | CE, UL   |
| Electrical safety, Maximum height (m) | 2000   |
| Standards                             | BS 89, UNE-EN 60051, IEC 144, UL94, DIN 43780, IEC 51, UNE 21318 |

#### Voltage measurement circuit

|                                       |   |
|---------------------------------------|---|
| Consumption                           | 1 ... 4 VA                                      |
| Sampling frequency                    | 20 ... 100 Hz                                   |
| Maximum permanent measurement voltage | 1,5 Vn permanent rated voltage / 2 Vn during 5s |

#### Electrical characteristics

|                             |   |
|-----------------------------|---|
| Insulation voltage, circuit | 2 kV, 50 Hz, 1 min entre mecanismo y caja |
|-----------------------------|---|

#### Measurement accuracy

|          |          |
|----------|----------|
| Accuracy | 1,5 % FE |
|----------|----------|

#### EC-V

Moving Iron Voltmeters (ac)

| CODE    | TYPE          | Scale   | Accuracy | Modules |
|---------|---------------|---------|----------|---------|
| M10415. | EC48 250V     | 90°, P1 | 1,5      | 48x48   |
| M10416. | EC48 300V     | 90°, P1 | 1,5      | 48x48   |
| M10417. | EC48 400V     | 90°, P1 | 1,5      | 48x48   |
| M10418. | EC48 500V     | 90°, P1 | 1,5      | 48x48   |
| M10419. | EC48 600V     | 90°, P1 | 1,5      | 48x48   |
| M10410. | EC48 .../110V | 90°, P1 | 1,5      | 48x48   |
| M10425. | EC72 250V     | 90°, P1 | 1,5      | 72x72   |
| M10426. | EC72 300V     | 90°, P1 | 1,5      | 72x72   |



## EC72 400V

Moving Iron Voltmeters

Code: M10427.

| CODE    | TYPE           | Scale   | Accuracy | Modules |
|---------|----------------|---------|----------|---------|
| M10427. | EC72 400V      | 90°, P1 | 1,5      | 72x72   |
| M10428. | EC72 500V      | 90°, P1 | 1,5      | 72x72   |
| M10429. | EC72 600V      | 90°, P1 | 1,5      | 72x72   |
| M10420. | EC72 .../110V  | 90°, P1 | 1,5      | 72x72   |
| M10449. | EC144 600V     | 90°, P1 | 1,5      | 72x72   |
| M10435. | EC96 250V      | 90°, P1 | 1,5      | 96x96   |
| M10436. | EC96 300V      | 90°, P1 | 1,5      | 96x96   |
| M10437. | EC96 400V      | 90°, P1 | 1,5      | 96x96   |
| M10438. | EC96 500V      | 90°, P1 | 1,5      | 96x96   |
| M10439. | EC96 600V      | 90°, P1 | 1,5      | 96x96   |
| M10430. | EC96 .../110V  | 90°, P1 | 1,5      | 96x96   |
| M10445. | EC144 250V     | 90°, P1 | 1,5      | 144x144 |
| M10446. | EC144 300V     | 90°, P1 | 1,5      | 144x144 |
| M10447. | EC144 400V     | 90°, P1 | 1,5      | 144x144 |
| M10448. | EC144 500V     | 90°, P1 | 1,5      | 144x144 |
| M10440. | EC144 .../110V | 90°, P1 | 1,5      | 144x144 |

Exchangeable scales, Voltmeters 90°



## EC72 400V

Moving Iron Voltmeters

Code: M10427.

### Dimensions

### Connections

