



## **BM45 60V**

BM45 60V, Voltmeter

Code: M11756. DESCATALOGADO

> Scale: 90°, P1 > Accuracy: 1,5

> Measurement Range (V): 60

> Device: BM45

#### Description

- No need for auxiliary power supply,
- o Precision class 1.5
- o Measurement in DC 25 uA ... 60 A, or ... 60 mV
- o Exchangeable scales

### **Application**

In direct current applications, to control the state of the current quickly and visually.







# **BM45 60V**

Moving coil voltmeters

Code: M11756.

## **Specifications**

Mechanical characteristics	
Size (mm) width x height x depth	85 x 65 x 52 (mm)
Fastening	DIN rail
Weight (kg)	0,11
Environmental characteristics	
Protection class	DIN rail: IP 52 (front), IP 00 (terminals)
Storage temperature	-25+40 °C
Working temperature	+10 +30 °C
Standards	
Certifications	CE, UL
Electrical safety, Maximum height (m)	2000
Standards	BS 89, UNE-EN 60051, IEC 144, UL94, DIN 43780, IEC 51, UNE 21318
Voltage measurement circuit	
Consumption	1000 Ω/V
Sampling frequency	20 100 Hz
Maximum permanent measurement voltage	1,2 Vn / 2 Vn during 5s
Electrical characteristics	
Insulation voltage, circuit	2 kV a 50Hz < 1 min entre mecanismo y caja
Measurement accuracy	
Accuracy	1,5 % FE









## **BM45 60V**

Moving coil voltmeters

Code: M11756.

### Connections



