

BMSC45 150V

BMSC45 150V, Voltmeter

Code: M11768. DESCATALOGAD	0
----------------------------	---

- > Scale: 90° , P1
- > Accuracy: 1,5
- > Measurement Range (V): 150
- > Device: BMSC45

Description

- No need for auxiliary power supply,
- Precision class 1.5
- $\circ~$ Measurement in DC 25 uA ... 60 A, or ... 60 mV
- Exchangeable scales

Application

In direct current applications, to control the state of the current quickly and visually.

Circutor



BMSC45 150V

Moving coil voltmeters

Code: M11768.

Specifications

Size (mm) width x height x depth	85 x 65 x 52 (mm)
Fastening	DIN rail
Weight (kg)	0,224
invironmental characteristics	
Protection class	DIN rail: IP 52 (front), IP 00 (terminals)
Storage temperature	-25+40 °C
Working temperature	+10 +30 °C
itandards	
Certifications	CE
Electrical safety, Maximum height (m)	2000
Standards	BS 89, UNE-EN 60051, IEC 144, DIN 43780, IEC 51, UNE 21318
/oltage measurement circuit	
Consumption	1000 Ω/V
Sampling frequency	20 100 Hz
Maximum permanent measurement voltage	1,2 Vn / 2 Vn during 5s
Electrical characteristics	
Insulation voltage, circuit	2 kV a 50Hz < 1 min entre mecanismo y caja
Measurement accuracy	
Accuracy	1,5 % FE





BMSC45 150V

Moving coil voltmeters

Code: M11768.

Dimensions

Connections

×

×

