



HLC48 58,5-61,5Hz 7L

HLC48 58,5-61,5Hz 7L, Frequencymeter

Code: M1291100B0000

- > Accuracy: 0,5
- > Measure: 58,5...61,5 Hz
- > Frequency (Hz): 58,5...61,5, 7 láminas
- > Modules: 48x48

Description

- Does not need an auxiliary power supply
- DIN box with dimensions: 72, 96 and 144 mm
- Class 0.5
- Independent measurement of the wave shape

Application

Measurement of the frequency in alternating current circuits, for any type of wave shape and under adverse environmental and physical conditions.



HLC48 58,5-61,5Hz 7L

Frequencymeters

Code: M1291100B0000

Specifications

Mechanical characteristics

Size (mm) width x height x depth 48 x 48 x 69.2 (mm)

Environmental characteristics

Protection class Panel: IP 52 (Front), IP 00 (Terminals)
 Storage temperature -25...+40 °C
 Working temperature +10 ... +30 °C

Standards

Certifications UL
 Electrical safety, Maximum height (m) 2000
 Standards BS 89, UNE-EN 60051, IEC 144, UL94, DIN 43780, IEC 51, UNE 21318

Current measurement circuit

Allowable overload 1,5 In permanent / 15 In during 1s

Voltage measurement circuit

Consumption 2 ... 3 VA
 Sampling frequency 50 ... 400 Hz
 Nominal voltage 230 V ~

Electrical characteristics

Insulation voltage, circuit 2kV a 50 Hz < 1min entre mecanismo y caja

Measurement accuracy

Accuracy 0,5 % FE

HLC
 Reed type frequencymeter

CODE	TYPE	Accuracy	Modules	Measure	Frequency (Hz)
M1291100A0000	HLC48 48,5-51,5Hz 7L	0,5	48x48	48,5...51,5 Hz	48,5...51,5, 7 láminas
M1291100B0000	HLC48 58,5-61,5Hz 7L	0,5	48x48	58,5...61,5 Hz	58,5...61,5, 7 láminas
M1292100C0000	HLC72 47-53Hz 13L	0,5	72x72	47...53 Hz	47...53, 13 láminas
M129210010000	HLC72 57-63Hz 13L	0,5	72x72	57...63 Hz	53...63, 13 láminas
M1293100C0000	HLC96 47-53Hz 13L	0,5	96x96	47...53 Hz	47...53, 13 láminas
M129310010000	HLC96 57-63Hz 13L	0,5	96x96	57...63 Hz	57...63, 13 láminas
M129310080000	HLC96 46-54Hz 17L	0,5	96x96	46...54 Hz	46...54, 17 láminas



HLC48 58,5-61,5Hz 7L

Frequencymeters

Code: M1291100B0000

CODE	TYPE	Accuracy	Modules	Measure	Frequency (Hz)
M129310090000	HLC96 56-64Hz 17L	0,5	96x96	56...64 Hz	57...63, 17 láminas
M129410060000	HLC144 45-55Hz 21L	0,5	144x144	45...55 Hz	45...55, 21 láminas
M129410070000	HLC144 55-65Hz 21L	0,5	144x144	55...65 Hz	55...65, 21 láminas



HLC48 58,5-61,5Hz 7L

Frequencymeters

Code: M1291100B0000

Dimensions

