



2HLC96 57-63Hz

2HLC96 57-63Hz, Frequencymeter

Code: M129320010000 DESCATALOGADO

- > Accuracy: 0,5
- > Measure: 57...63 Hz
- > Frequency (Hz): 57...63, 13 láminas
- > Modules: 96x96

Description

- o Does not need an auxiliary power supply
- o DIN box with dimensions 96 and 144 mm
- o Class 1.5
- o Double scale

Application

For the measurement and easy comparison of frequencies in alternating current circuits coming from generators or between the network and generator, when connected in parallel. The measurement is independent of the wave shape. For applications in severe environmental and physical conditions.



2HLC96 57-63Hz

Frecuencymeter, marine applications equipment

Code: M129320010000

Specifications

Mechanical characteristics

| | |
|----------------------------------|---------------------|
| Size (mm) width x height x depth | 96 x 96 x 82.9 (mm) |
| Weight (kg) | 0,4 |

Environmental characteristics

| | |
|---------------------|---|
| Protection class | Panel: IP 52 (Front), IP 00 (Terminals) |
| Storage temperature | -25...+40 °C |
| Working temperature | +10 ... +30 °C |

Standards

| | |
|---------------------------------------|--|
| Certifications | CE |
| Electrical safety, Maximum height (m) | 2000 |
| Standards | BS 89, UNE-EN 60051, IEC 144, DIN 43780, IEC 51, UNE 21318 |

Voltage measurement circuit

| | |
|--------------------|--------------|
| Consumption | 1 ... 3,6 VA |
| Sampling frequency | 47 ... 53 Hz |
| Nominal voltage | 230 V ~ |

Electrical characteristics

| | |
|-----------------------------|---|
| Insulation voltage, circuit | 2kV a 50 Hz < 1min entre mecanismo y caja |
|-----------------------------|---|

Measurement accuracy

| | |
|----------|----------|
| Accuracy | 0,5 % FE |
|----------|----------|



2HLC96 57-63Hz

Frecuencymeter, marine applications equipment

Code: M129320010000

Dimensions

