



## CUC96 400V Rele

CUC96 400V Rele

Code: M13735. (CONSULTAR DISPONIBILIDAD)

> 0

#### Description

A completely electronic circuit without moving parts allows easily activation of LED

#### **Application**

**UC72** and **UC96** types indicate the phase sequence type in three-phase networks. **CUC96**, besides indicating the phase sequence type, have a realy with a free voltage switch-over contact. The relay opens in voltage lack situation or when the phase rotation sense is wrong.







# **CUC96 400V Rele**

Phase sequence indicators

Code: M13735.

### Specifications

#### Mechanical characteristics

Size (mm) width x height x depth	96 x 96 x 62.9 (mm)
Weight (kg)	0,375

#### UC / CUC

Phase sequence indicators

TYPE	Modules	Device	
UC72 100150V	72x72	UC72	
UC72 150500V	72x72	UC72	
UC96 100150V	96x96	UC96	
UC96 150500V	96x96	UC96	
CUC96 230V	96x96	CUC96	
CUC96 400V	96x96	CUC96	
-	UC72 100150V UC72 150500V UC96 100150V UC96 150500V CUC96 230V	UC72 100150V 72x72   UC72 150500V 72x72   UC96 100150V 96x96   UC96 150500V 96x96   CUC96 230V 96x96	UC72 100150V 72x72 UC72   UC72 150500V 72x72 UC72   UC96 100150V 96x96 UC96   UC96 150500V 96x96 UC96   CUC96 230V 96x96 CUC96









# **CUC96 400V Rele**

Code: M13735.

# Connections



