





DC72B V (10,50,200V)

DC72B V (10,50,200V), Voltmeter

Code: M20223. DESCATALOGADO

> Scale: 10, 50, 200 Vcc

> System: DC

Digital instrument

> Measure: Direct: -200 / +200 Vdc (Process: 0...10 Vdc)

> Mounting: Pannel > Modules: 72 x 72

Description

- o Fully programmable: scale, transformer ratio, etc. (except frequency meters)
- o Measurement of V, A, Hz or °C.
- $\circ~$ Measurement in true root mean square (TRMS), ac types. Excellent quality / price ratio
- o Measurement of maximum and minimum values
- o Optional relay output, depending on the type

Application

The high luminosity 4-digit digital display indicates the voltage, current, frequency or instantaneous temperature, with the maximum and minimum values of medium and low voltage lines.







DC72B V (10,50,200V)

Digital indicator for panel mounting

Code: M20223.

Specifications

4 VA
4070 Hz.
115230 Vc.a. (± 10%)
72 x 72 x 85.5 (mm)
ABS VO
0,23
IP 20 (Terminals & case), IP 54 (Front), IP 65 (with front protection)
0+65 °C
-40+70 °C
Tensión de prueba: 3 kV, 50Hz,1min / Test de impulsos: 4 kV (1,2/50 μs)
64
10 bits
2
2
2 Programable
2 Programable 09999 (c.a.) / -19999999 (c.c.)
2 Programable 09999 (c.a.) / -19999999 (c.c.)
2 Programable 09999 (c.a.) / -19999999 (c.c.) 7 segments (4 digits)

DC-B

Digital instrument

CODE	TYPE	Scale	System	Measure	Modules

Ammeters / Process indicators









DC72B V (10,50,200V)

Digital indicator for panel mounting

Code: M20223.

CODE	TYPE	Scale	System	Measure	Modules
M20226.	DC72B A (10A)	10 Acc	DC	Direct	72 x 72

All AC instruments measure TRMS values Please see the code table for other power supply values (110 Vdc power supply not available)

