

DM45-A

DM45-A, Ammeter

- > N° relays: 1
- > System: AC
- > Measure: ... / 5 Aac
- > Paramètre: Ammeter
- > Mounting: DIN rail

Description

- Electrical parameter indicator equipment
- $\circ~$ Its design enables the installation of the unit on small panels
- $\circ~$ It measures voltage, current, frequency and harmonic distortion, depending on the type
- Fully sealed
- Fully programmable alarm relay
- Robust and compact
- Stores maximum and minimum values

Application

- Displays one or various electrical parameters of a sub-panel, control process or determined machine.
- Alarm system: the unit's internal relay can act on contactors, sound and/or light devices to carry out a protection or warning operation.

Page 1 of 4

Circutor

Circutor

Ron	cuto		
Ă	*	•	*
5	0	0	[]
DM45	-		
6	9	Θ	

DM45-A

Digital instruments, DIN rail

Code: M20911.

Specifications

Consumption	5 VA
Frequency	4070 Hz.
Nominal voltage	115 / 230 Vc.a
lechanical characteristics	
Size (mm) width x height x depth	36 x 85 x 63.8 (mm)
Envelope	Self-extinguishing ABS
Weight (kg)	0,193
nvironmental characteristics	
Protection class	IP 20 / IP 54 with terminal cover (optional) (for models Ø 85, 100, 116 mm)
Relative humidity (without condensation)	595 %
Storage temperature	-40+70 °C
Working temperature	-20+50 °C
urrent measurement circuit	
Allowable overload	1,2 In permanent
Refresh rate	1 lectura/s
Maximum current	5 Ac.a.
Minimum current measurement	0,05 Aac
Resolution	10 bits
oltage measurement circuit	
Consumption	0,6 VA
lser interface	
LED	4
Range	0,0009999
Resolution of the display	30
Display type	7 segments (4 digits), red
tandards	
Standards	EN 61000-6-3, EN 61000-6-1, IEC 61010-1, IEC 60664
igital relay outputs	
Contact-coil insulation	2000 Vc.a.
Contact-contact insulation	750 Vc.a.
Nominal current	5 Aac

Circutor

Circutor



DM45-A

Digital instruments, DIN rail

Code: M20911.

Insulation resistance	> 1000 MΩ
Resistive load (max.)	750 VA
Maximum open contact voltage	250 Vac
Measurement accuracy	

± 0,5 % FS (± 1 digit)

Phase current measurement

Other information of interest: Size: 2 modules





	uo • •	
<u>60</u>	88	7
6	0	
6	Θ	

DM45-A

Digital instruments, DIN rail

Code: M20911.

Dimensions

Connections

×

×

