



DM45-AD, Ammeter

Code: M20921. DESCATALOGADO

> N° relays: 1 > System: AC

> Measure: 0,5 ... 30 Aac> Paramètre: Ammeter> Mounting: DIN rail

#### Description

- o Electrical parameter indicator equipment
- o Its design enables the installation of the unit on small panels
- $\circ~$  It measures voltage, current, frequency and harmonic distortion, depending on the type
- o Fully sealed
- o Fully programmable alarm relay
- Robust and compact
- O Stores maximum and minimum values

#### **Application**

- O Displays one or various electrical parameters of a sub-panel, control process or determined machine.
- Alarm system: the unit's internal relay can act on contactors, sound and/or light devices to carry out a protection or warning operation.









Digital instruments, DIN rail

Code: M20921.

### **Specifications**

Consumption	5 VA
Frequency	4070 Hz.
Nominal voltage	115 / 230 Vc.a
Mechanical characteristics	
Size (mm) width x height x depth	36 x 85 x 63.8 (mm)
Envelope	Self-extinguishing ABS
Weight (kg)	0,194
Environmental characteristics	
Protection class	IP 20 / IP 54 with terminal cover (optional) (for models Ø 85, 100, 116 mm)
Relative humidity (without condensation)	595 %
Storage temperature	-40+70 °C
Working temperature	-20+50 °C
Current measurement circuit	
Allowable overload	1,2 In permanent
Refresh rate	1 lectura/s
Maximum current	30 Ac.a.
Minimum current measurement	0,5 Aac
Resolution	10 bits
Voltage measurement circuit	
Consumption	0,0 VA
User interface	
LED	4
Range	0,0009999
Resolution of the display	30
Display type	7 segments (4 digits), red
Standards	
Standards	EN 61000-6-3, EN 61000-6-1, IEC 61010-1, IEC 60664
Digital relay outputs	
Contact-coil insulation	2000 Vc.a.
Contact-contact insulation	750 Vc.a.
Nominal current	5 Aac









Digital instruments, DIN rail

Code: M20921.

Insulation resistance	> 1000 MΩ	
Resistive load (max.)	750 VA	
Maximum open contact voltage	250 Vac	

#### Measurement accuracy

Phase current measurement	± 0,5 % FS (± 1 digit)

Other information of interest: Size: 2 modules









Digital instrument

Digital instruments, DIN rail

Code: M20921.

**Dimensions** Connections







Page 4 of 4