

M-CVM-AB-4AI-8AO

M-CVM-AB-4AI-8AO, Expansion module

Code: M56E03.

> Memory: No
> Analogue Inputs: 4 (0/4 ... 20 mA)
> Analog output: 8 (0/4 ... 20 mA)

Description

Expansion module with 4 analogue inputs and 8 analogue outputs.

Application

Analogue inputs

- Measuring signal parameters for non-unit external processes.
- Viewing the signals on screen and reporting them via communications

Analogue outputs

- Generating process signals for the instantaneous electrical parameters measured by the unit

Creation date: 22/11/2026 - CIRCUTOR, SAU reserves the right to make technical changes or modify the content/images of this document without prior notice, in order to improve its reliability, functionality, design or for other reasons.
It accepts no liability for any errors, inaccuracies or possible lack of information in this document.



M-CVM-AB-4AI-8AO

Expansion modules M-CVM-AB-4AI-8AO

Code: M56E03.

Specifications

DC power supply

Consumption	max. 3 W

Mechanical characteristics

Size (mm) width x height x depth	90 x 90 x 90 (mm)
Envelope	Self-extinguishing V0 plastic
Fastening	Panel
Weight (kg)	0,088

Environmental characteristics

Protection class	IP 30
Relative humidity (without condensation)	5 ... 95%
Storage temperature	-20... +80 °C
Working temperature	-10...+50 °C

Standards

Certifications	UL 61010-1 3rd edition, CAN/CSA-C22.2 No.61010-1 3rd. edition 2012-05
Electrical safety, Maximum height (m)	2000
Standards	IEC 61010-1 (1rd. Edition), UNE-EN 61000-6-2, UNE-EN 61000-6-4, IEC 60664-1, IEC 61010-2-030 (First Edition).

Analogue inputs

Input impedance	150 Ω
Nominal input range	0-20 mA/4-20 mA (Programmable)
Measurement type	current
Maximum allowable neutral current	22 mAdc
Accuracy	<1%

Analogue outputs

Quantity	8
Linearity	<1%
Current mode, nominal range	0-20 mA/4-20 mA
Current mode: maximum load resistance	300 Ω
Voltage mode, minimum load resistance	5000 Ω
Voltage mode: nominal output range	0-10 Vdc
DAC resolution	4096 points
Maximum internal voltage	12 Vdc

Creation date: 22/11/2026 - CIRCUTOR, SAU reserves the right to make technical changes or modify the content/images of this document without prior notice, in order to improve its reliability, functionality, design or for other reasons.
It accepts no liability for any errors, inaccuracies or possible lack of information in this document.



M-CVM-AB-4AI-8AO

Expansion modules M-CVM-AB-4AI-8AO

Code: M56E03.

M-CVM-AB-4AI-8AO
Expansion modules

CODE	TYPE	Analogue Inputs
M56E03.	M-CVM-AB-4AI-8AO	4 (0/4 ... 20 mA)

Creation date: 22/11/2026 - CIRCUTOR, SAU reserves the right to make technical changes or modify the content/images of this document without prior notice, in order to improve its reliability, functionality, design or for other reasons.
It accepts no liability for any errors, inaccuracies or possible lack of information in this document.




M-CVM-AB-4AI-8AO

Expansion modules M-CVM-AB-4AI-8AO

Code: M56E03.

Dimensions



Connections

