



M-CVM-AB-LonWorks

M-CVM-AB-LonWorks, Expansion module

Code: M56E08. CONSULTAR DISPONIBILIDAD

- > Protocol: LonTalk (ISO/IEC 14908, ANSI/EIA 7091)
- > Memory: No
- > Communications: LonWorks

Description

Expansion module with LonWorks communications.

Application

Enables communication with SCADA systems, or similar, through the LonWorks protocol.







M-CVM-AB-LonWorks

Expansion modules M-CVM-AB-LonWorks

Code: M56E08.

Specifications

DC power supply	
Consumption	1.2W
Mechanical characteristics	
Size (mm) width x height x depth	90 x 90 x 90 (mm)
Envelope	Self-extinguishing V0 plastic
Fastening	Panel
Weight (kg)	0,095
Environmental characteristics	
Protection class	IP 30
Relative humidity (without condensation)	5 95%
Storage temperature	-20 +80 °C
Working temperature	-10+50 °C
Standards	
Certifications	UL 61010-1 3rd edition, CAN/CSA-C22.2 No.61010-1 3rd. edition 2012-05
Electrical safety, Maximum height (m)	2000
Standards	IEC 61010-1 (1rd. Edition), UNE-EN 61000-6-2, UNE-EN 61000-6-4, IEC 60664-1, IEC 61010-2-030 (First Edition).
Serial communication	
Protocol	Slave M-Bus compatible con EN13757-2 y EN13757-3
Technology / Type	LonWorks







M-CVM-AB-LonWorks

Expansion modules M-CVM-AB-LonWorks

Code: M56E08.

Dimensions

Connections







