





M-CVM-AB-Profibus

M-CVM-AB-Profibus, Expansion module

Code: M56E09. DESCATALOGADO

> Protocol: ProfiBus> Memory: No

> Communications: DB-9

Description

Expansion module with ProfiBus communications.

Application

Enables communication with SCADA systems, or similar, through the ProFiBus/DP protocol.







M-CVM-AB-Profibus

Expansion modules M-CVM-AB-Profibus

Code: M56E09.

Specifications

| DC power supply | |
|--|---|
| Consumption | 2W |
| Mechanical characteristics | |
| Size (mm) width x height x depth | 90 x 90 x 90 (mm) |
| Envelope | Self-extinguishing V0 plastic |
| Fastening | Panel |
| Weight (kg) | 0,14 |
| Environmental characteristics | |
| Protection class | IP 30 |
| Relative humidity (without condensation) | 5 95% |
| Storage temperature | -20 +80 °C |
| Working temperature | -10+50 °C |
| Standards | |
| Certifications | UL 61010-1 3rd edition, CAN/CSA-C22.2 No.61010-1 3rd. edition 2012-05 |
| Electrical safety, Maximum height (m) | 2000 |
| Standards | IEC 61010-1 (1rd. Edition), UNE-EN 61000-6-2, UNE-EN 61000-6-4, IEC 60664-1, IEC 61010-2-030 (First Edition). |
| Serial communication | |
| Protocol | LonTalk |
| Technology / Type | DB-9 |







Circutor



M-CVM-AB-Profibus

Expansion modules M-CVM-AB-Profibus

Code: M56E09.

Dimensions

Connections





