





M-CVM-AB-Profibus

M-CVM-AB-Profibus, Expansion module

Code: M56E09. (CONSULTAR DISPONIBILIDAD)

> Protocol: ProfiBus> Memory: No

> Communications: DB-9

Description

Expansion module with ProfiBus communications.

Application

Enables communication with SCADA systems, or similar, through the ProFiBus/DP protocol.







M-CVM-AB-Profibus

Expansion modules M-CVM-AB-Profibus

Code: M56E09.

Specifications

DC power supply	
Consumption	2W
Mechanical characteristics	
Size (mm) width x height x depth	90 x 90 x 90 (mm)
Envelope	Self-extinguishing V0 plastic
Fastening	Panel
Weight (kg)	0,14
Environmental characteristics	
Protection class	IP 30
Relative humidity (without condensation)	5 95%
Storage temperature	-20 +80 °C
Working temperature	-10+50 °C
Standards	
Certifications	UL 61010-1 3rd edition, CAN/CSA-C22.2 No.61010-1 3rd. edition 2012-05
Electrical safety, Maximum height (m)	2000
Standards	IEC 61010-1 (1rd. Edition), UNE-EN 61000-6-2, UNE-EN 61000-6-4, IEC 60664-1, IEC 61010-2-030 (First Edition).
Serial communication	
Protocol	LonTalk
Technology / Type	DB-9







Circutor

M-CVM-AB-Profibus

Expansion modules M-CVM-AB-Profibus

Code: M56E09.

Dimensions

Connections





