

Line-M-4G

Line-M-4G, 4G/GPRS communications modem and Bus-Line to communicate with Line-EDS devices,

Code: M58E0C. DESCATALOGADO

Specifications

AC power supply		
Installation category	CAT III 300V	
Consumption	2,8 4,1 VA	
auxiliary power supply mode	Through the line-EDS device	
DC power supply		
Consumption	1,9 2,2 W	
Mechanical characteristics		
Size (mm) width x height x depth	35 x 93.85 x 88.95 (mm)	
Envelope	Self-extinguishing V0 plastic	
Fastening	DIN rail (IEC 60715)	
Weight (kg)	0,13	
Environmental characteristics		
Protection class	IP30, Front: IP40	
Relative humidity (without condensation)	5 95%	
Storage temperature	-20 +70 °C	
Working temperature	-10 +50 °C	
Standards		
Electrical safety, Maximum height (m)	2000	
Electrical safety, Installation category	CAT III 300 V	
Electrical safety, Contamination level/class	2	
Standards	EN 61010-1, EN 61000-6-2, EN 61000-6-4, UNE EN 60068-2-1, UNE EN 60068-2-2, UNE EN 60068-2-78, ETSI EN 301 489-1 Ver. 2.2.1, ETSI EN 301 489-17 Ver. 3.2.4, ETSI EN 301 489-52 Ver. 1.2.1	
Jser interface		
LED	4 LED	
Radio communication -Antenna		
	SMA (Right Angle)	
Radio communication		
Band	700/800/850/900/1700/1800/1900/2100/2300/2500/2600 MHz	
Technology / Type	4G	





Line-M-4G

Code: M58E0C.

Line-M-4G

4G Modem, Line-EDS system expandable modules

CODE	TYPE	Description	
Modem			
D7300C.	Line-M-4G	4G/GPRS communications modem and Bus-Line to communicate with Line-EDS devices	

odem, expansion modules, Line syste





Line-M-4G

Code: M58E0C.

Dimensions

Connections

×

×

Circutor