



CLP-C-44/3, CLZ Capacitor with circuit breaker and contactor

Code: R22575.

> IP: 20

> In (A): 3.94

> Frequency (Hz): 50 > kvar (440 V): 3 > Cut off power: 6 kA > Use voltage (V): 440

> Type of protection: Circuit breaker and contactor

Description

Les condensateurs fixes de la série CLP-C sont des équipements à un seul gradin conçus pour la compensation individuelle de l'énergie réactive ou à charges constantes.

Application

Its application is mainly focused on the compensation of motors, transformers and installations under constant load, providing a signal that connects to the capacitor with a contactor switching operation.







CLZ capacitor with circuit breaker and contactor

Code: R22575.

Specifications

| Permanent overload | 1,3 ln |
|--|--|
| Discharge resistance | 75 V / 3 min |
| Surge | 10 $\%$ 8 h over 24 h 15 $\%$ up to 15 min over 24 hours 20 $\%$ up to 5 min over 24 hours 30 $\%$ up to 1 min over 24 hours |
| Manoeuvre voltage | Contactors: 230 V |
| Tolerance C | ± 10 % |
| Insulation voltage, circuit | 3 / 15 kV |
| Mechanical characteristics | |
| Size (mm) width x height x depth | 215 x 490 x 147 (mm) |
| Envelope | RAL 7035 Grey / RAL 3005 Garnet |
| Fastening | Vertical |
| Ventilation | Natural |
| Weight (kg) | 1,2 |
| Environmental characteristics | |
| Protection class | IP 21 |
| Relative humidity (without condensation) | 80% |
| Working temperature | $T^{\rm e}$ class D: Daily average: 45 °C, annual average: 35 °C, maximum: 50 °C, minimum -25 °C |
| Standards | |
| Certifications | VDE 560 |
| Electrical safety, Maximum height (m) | 2000 |
| Standards | IEC 60831-1, IEC 70/7, UNE-EN 20827, UNE-EN 20010, BS 1650 |
| Features / performance | |
| Components | CS capacitor Protection at the header by high cut-off power circuit breaker (APR) |
| | |

CLZ Capacitors with miniature circuit breaker and contactor, 50 Hz

| CODE | TYPE | kvar (440 V) | Use voltage (V) |
|----------------|---------------|--------------|-----------------|
| 440 Vac / 50Hz | | | |
| R22575. | CLP-C-44/3 | 3 | 440 |
| R22578. | CLP-C-44/5 | 5 | 440 |
| R22579. | CLP-C-44/6,25 | 6,25 | 440 |







CLZ capacitor with circuit breaker and contactor

Code: R22575.

| CODE | TYPE | kvar (440 V) | Use voltage (V) |
|---------|---------------|--------------|-----------------|
| R2257A. | CLP-C-44/7,5 | 7,5 | 440 |
| R2257C. | CLP-C-44/10 | 10 | 440 |
| R2257D. | CLP-C-44/12,5 | 12,5 | 440 |
| R2257E. | CLP-C-44/15 | 15 | 440 |
| R2257F. | CLP-C-44/20 | 20 | 440 |
| R2257G. | CLP-C-44/25 | 25 | 440 |







CLZ capacitor with circuit breaker and contactor

Code: R22575.

Dimensions



