

## **URBAN T14-MIX**

URBAN T14-MIX, Outdoor recharge post

Code: V10617. DESCATALOGADO

> Output type: 400 Vca - 32 A - 22 kW| 230 Vca - 16 A - 3,7 kW

> Connector type: Type 2 socket | Schuko

> Grid type: Three-phase > No. Sockets: 4 (2)

### Description

CIRCUTOR has designed a new range of outdoor charging posts with a new aesthetic design that combines an attractive appearance with safe, reliable and robust construction. Outdoor posts have to be capable of withstanding a wide range of environmental conditions and possible acts of vandalism, while simplifying the installation and maintenance processes for operators. The URBAN posts reduce installation time and simplify operations and maintenance tasks.

The URBAN devices facilitate charging tasks for all kinds of EV users, incorporating all the electrical protections needed to guarantee safety inside an aluminium metal body. They come with Type-2, mode-3 single-phase or three-phase plugs, depending on the configuration chosen. The URBAN 10 is designed for locations where simple Plug & Charge operations are required.

#### **Application**

URBAN charging posts are especially suited for all types of outdoor parking areas where electric vehicles are parked and charged. Its applications range from public roads and squares, to outdoor car parks at department stores, airport terminals, vehicle sales and rental companies, company employee car parks, etc.







## **URBAN T14-MIX**

URBAN 10 outdoor charging post

Outdoor charging posts

Code: V10617.

## **Specifications**

Mechanical characteristics	
Size (mm) width x height x depth	450 x 1550 x 290 (mm)
Features / performance	
Optional	Anti vandal doors for Type 2 sockets
	<ul> <li>Type A earth leakage protection with automatic reclosing</li> </ul>
	<ul> <li>Type B earth leakage protection</li> </ul>
	<ul> <li>Type B earth leakage protection with automatic reclosing</li> </ul>
	Surge protection
	<ul> <li>Low temperature kit (- 30°C)</li> </ul>

Type A circuit breaker and earth leakage protection, independent on each connection, LED indicator of the state of charge. Aluminium and ABS plastic casing (IP54 / IK10). Dimensions: 450 x 1550 x 290 mm For 4G communications, see the code table







# **URBAN T14-MIX**

Outdoor charging posts

Code: V10617.

## **Dimensions**





