



RAPTION 150 HC CCS2 CHA

RAPTION 150 HC CCS2 CHA, Outdoor recharge station

Code: V17620. (CONSULTAR DISPONIBILIDAD)

- > Communications: Ethernet | 4G
- > Output type: 100-920 Vcc - 250 A - 150 kW| 50-400 Vcc - 200 A - 50 kW
- > Connector type: CCS Combo 2 (FF)| JEVS G105 - CHAdeMO (AA)
- > Grid type: Single-phase
- > No. Sockets: 2
- > Earth leakage protection: Type B

Specifications

AC power supply

Input intensity	228 A
Efficiency	95 % con potencia nominal de salida
Power factor	> 0,98
Frequency	50 / 60 Hz
Type of network	3Ph + N + GND
Nominal voltage	400 V ~ ± 10 %

Electrical characteristics

Surge protection (DSP)	Optional: 4-pole transient overvoltage (IEC 61643-11 Class II)
Overcurrent protection	Circuit breaker

Mechanical characteristics

Size (mm) width x height x depth	470 x 2070 x 380 (mm)
Envelope	Stainless steel

Environmental characteristics

Protection class	IP 54 / IK10
Relative humidity (without condensation)	5 ... 95 %
Storage temperature	-20 ... +60 °C
Working temperature	-10...+50 °C

Standards

Certifications	CE / Combo-2 / CHAdeMO
Standards	(DIN 70121; ISO15118); IEC 61851-1; IEC 61851-23

Communications

Protocol	OCPP 1.6 / XML
Type	Ethernet 10/100 Base TX (TCP/IP)

User interface

RFID (Radio-Frequency Identification)	ISO / IEC 14443A / B , MIFARE Classic, MIFARE DESFire, MIFARE DESFire EV1 , ISO 18092 / ECMA-340 (NFC) 13.56 MHz
LED	Charging indicator and courtesy lighting



RAPTION 150 HC CCS2 CHA

Quick outdoor charging station

Code: V17620.

Display type	8" TFT touch screen anti-vandalism display
--------------	--

Features / performance

Optional	Air-conditioning heater -30 ... +50 °C Vandal-proof protection by mechanical locking of the connector Contactless payment system Connection cables 5.5 m
----------	---

Protection

Safety relay type (class)	Type B
---------------------------	--------

Output 1

Maximum current	250 A
Maximum power	150 kW
Voltage range	100 ... 920 Vdc
Connector type	CCS Combo 2 (FF)
Network type	Single-phase (DC)

Output 2

Maximum current	125 A
Maximum power	50 kW
Voltage range	100...500 Vdc
Connector type	JEVS G105 - CHAdeMO (AA)
Network type	Single-phase (DC)



RAPTION 150 HC CCS2 CHA

Quick outdoor charging station

Code: V17620.

Dimensions

