





M-CVM-AB-Modbus-TCP (bridge)

M-CVM-AB-Modbus-TCP (bridge), Expansion module

Code: M56E05.

> Protocol: Modbus/TCP (gateway to RS485)

> Memory: No

> Communications: Ethernet

Description

Expansion module with Modbus/TCP communications (Ethernet).

Application

Enables communications with SCADA systems, or similar, over TCP/IP computer networks using the Modbus/TCP protocol.







M-CVM-AB-Modbus-TCP (bridge)

Expansion modules M-CVM-AB-Modbus/TCP Bridge

Code: M56E05.

Specifications

DC power supply		
Consumption	2W	
Mechanical characteristics		
Size (mm) width x height x depth	90 x 90 x 90 (mm)	
Envelope	Self-extinguishing V0 plastic	
Fastening	Panel	
Weight (kg)	0,091	
Protection class	IP 30	
Relative humidity (without condensation)	5 95%	
Storage temperature	-20 +80 °C	
Working temperature	-10+50 °C	
tandards		
Certifications	UL 61010-1 3rd edition, CAN/CSA-C22.2 No.61010-1 3rd. edition 2012-05	
Electrical safety, Maximum height (m)	2000	
Standards	IEC 61010-1 (1rd. Edition), UNE-EN 61000-6-2, UNE-EN 61000-6-4, IEC 60664-IEC 61010-2-030 (First Edition).	

M-CVM-AB-Modbus-TCP (bridge)

Expansion modules

CODE	ТҮРЕ	Communications	Protocol
M56E05.	M-CVM-AB-Modbus-TCP (bridge)	Ethernet	Modbus/TCP (gateway to RS485)







M-CVM-AB-Modbus-TCP (bridge)

Expansion modules M-CVM-AB-Modbus/TCP Bridge

Code: M56E05.

Dimensions Connections







